DOMESTIC / COMMERCIAL RO - UF - FILTRATION

CR PRO ELECTRIC

CR PRO ELECTRIC

DESCRIPTION

The CR Pro is a high performance table top water dispenser. Thanks to its electrical and manual taps it's easy to use and its design fits perfectly in all HORECA environments.

FEATURES

- Space-saving, high-performance table-top unit with ice-bank technology
- Adjustable height of the output unit
- Easy installation and maintenance thanks to integrated CO2 and water pressure regulator
- Choice of chilled, medium and fully carbonated water



Reference	3224000005
Search Name	221000790
Item Name	CR Pro Electric
Туре	Cornelius Drinking Water Dispenser
Dispense rate per hour	Approx. 120 liter
Amount of product continuously dispensed per hour	53 liter
Height	533 mm
Weight ice bank	2.5 kg
Width	335 mm
Peak Capacity	140L within 2 hours
Compressor	7,57 cc
Cooling performance continuously	512 kcal



General Technical Data	Product coils:
	Material: Stainless Steel
	Number: 1 pcs
	• Length of coils: 8m
	Diameter: 7mm
Control Type	Electronic thermostat
Voltage	230V / 50Hz
Electrical supply	2 m mains cable euro style plug
Ambient Temperature	Max. 32°c
Shipping Weight	36 kg
Weight	34 kg
Depth	610 mm
Remarks	Cooling performance and dispensing capacities at an
	ambient temperature of 24°C
	Water inlet temperature of 14°C and beverage outlet
	temperature of 8°C
Power Consumption	0.4 Kw

Thum

DOMESTIC / COMMERCIAL RO - UF - FILTRATION

PEARLMAX 4S

PEARLMAX 4S

DESCRIPTION

PearlMax 4S is the upgraded version of the PearlMax 4. It features henceforth a new touch pad control panel which provides an enhanced overall look of the unit combined with a more comfortable operation and easier cleaning of this area. Like its predecessor, the PearlMax 4S is a self-contained water dispenser offering outstanding carbonation and cooling performance.

FEATURES

- Modern touch pad control panel based on existing PearlMax controller
- Portion control option
- Electronic monitoring of dispense volumes, filter and UV-C lamp
- Multilingual LCD display
- Choice of still, ambient, chilled and carbonated water
- Design engineering focused on the delivery of hygienic water quality
 e.g. nano-coated dispensing nozzle and optional UV-C lamp
- Easily removable drip tray with water level indicator (optical and electronical)
- Optional base stand to integrate filter and CO2 bottle
- Water filters can be installed inside
- Integrated features: AquaStop, inlet water pressure regulator and electronic carbonator level control



Reference	3224000003
Search Name	221000292
Item Name	PearlMax 4S
Туре	Cornelius Drinking Water Dispenser
Dispense rate per hour	Approx. 120 liter
Amount of product continuously dispensed per hour	42 liter
Height	470 mm
Width	320 mm

Compressor	4 cc
Cooling performance continuously	250 kcal
General Technical Data	Product coils:
	Material: Stainless Steel
	Number: 1 pcs
	• Length of coils: 8m
	Diameter: 7mm ID
Noise level	50 dB(A)
Control Type	PearlMax controller plus mechanical thermostat
Voltage	230V / 50Hz
Electrical supply	2 m mains cable euro style plug
Ambient Temperature	Max. 32°c
Shipping Weight	26 kg
Weight	24 kg
Depth	490 mm
Power Consumption	0.25 Kw



DOMESTIC / COMMERCIAL RO - UF - FILTRATION

PEARLMINI

PEARLMINI

DESCRIPTION

The PearlMini is the latest over counter development with a stylish flexible design in the water sector. Designed to be operated as a standard over counter cooler, it also offers the possibility to separate the tower from the cooler by mounting the dispensing tower on a stable surface at the serving location and installing the cooling unit underneath. This gives a whole new character to the PearlMini while retaining its stylish and classy charm.

The unit provides still water, medium carbonated- and carbonated water in a hygienic and excellent tasting water quality. Through its low noise level, the pearlMini is suitable for operating in offices or waiting areas.



FEATURES

- Choice of ambient, chilled and carbonated water
- Low-noise design, can be located close to offices
- Design engineering focused on the delivery of hygienic water quality e.g. nano-coated dispensing nozzle
- Electronic multilingual display with thirteen languages
- Easily removable drip tray with water level indicator
- Portion controlled dispense possible
- Water filters can be installed inside
- Recommended branding opportunities on the front of the unit

Reference	3224000001
Search Name	221000300
Item Name	Pearlmini
Туре	Cornelius Drinking Water Dispenser
Dispense rate per hour	Approx. 120 liter
Amount of product continuously dispensed per hour	20 liter
Height	410 mm
Width	270 mm

Mum

Compressor	3 cc
Cooling performance continuously	120 kcal
General Technical Data	Product coils:
	Material: Stainless Steel
	Number: 1 pcs
	• Length of coils: 8m
	Diameter: 7mm ID
Noise level	47 dB(A)
Control Type	Mechanical thermostat
Voltage	230V / 50Hz
Electrical supply	2 m mains cable euro style plug
Ambient Temperature	Max. 32°c
Shipping Weight	27 kg
Weight	25 kg
Depth	550 mm
Power Consumption	0.2 Kw

